Dien it that to be added to lakely 11. Stachytarpheta jamaicensis Vakl 26. Premna integrifolia X. 188. Clerodondrum speciosissimum van Teest. 405. Planchonella obovata (R. Br.) H.J. Laur 1075. Vitex Regendo L., var. bicolor (Willd.) H.J. Lau 1388. Gemma integrifolia X. 1433. Clerodendrum inerme (d.) Factor. 7786. Thoracostachyum vitience Vittien (type coll.), not J. aff. hypolytecides

Specimens of Sapotaceae and Verbenaceae collected in Fiji by A.C. Smith, 1933 - 34 Det. by Dr. H. J. Lam, 1936

Stach ytarpheta jamaiconsis Vahl. 26 Premna integrifolia L. √38 Premna integrifolia L. -√81 Paradaya cf. ovalifolia (A.Gray Seemann. 188 Clerodendrum speciosissimum van Geert. 4.314 Vitex Megundo L., var. bicolor (Willd.) H.J.Lam. √517 Premna integrifolia L. - 318 Clerodendrum inerme (L.) Gaertn. 7342 Premna integrifolia L. -683 Flanchonella obovata (R.Bv.) H. J. Lam. 705 Planchonella obovata (R.Bv.) H. J. Lam. √920 Planchonella vitiensis Gillespie -940 Premna integrifolia L. 1075 Vitex Negundo L., var. micolor (Willd.) H. J. Lam. 41091 Clerodendrum inerme (L.) Gaertn. -1107 Fremna integrifolia L. V1154 Lucuma (?) vitiensis (A.Gray) Gillespie. -Al87 Clerodendrum inerme (L.) Gartn. -1194 Promna integrifolia L. 1200 Vitex Negundo L., var. bicolor (Willd.) H.J. Lam. √1208 Lucuma (?) vitiensis (A. Gray) Gillespie. 1 95 Premna integrifolia L. _4385 Lucuma (?) vitiensis (A. Gray) Gillespie. 4386 Lucuma (?) vitiensis (A. Gray Gillespie. 1388 Promna integrifolia L. 1433 Clerodendrum inerme (I.) Gaertn. -V1450 Manilkara Fauki (I..) Dub. √1453 Lucuma (?) vitiensis (A. Gray) Gillespie. -Q461 Northia vitien is H.J.Lam & E. van (lden (Type coll.) 1474 Burckella amicorum (Gray) H. J. Lam. 71491 Lucuma Faradaya cf. ovalifolia (Gray) Seemann. +1570 -4604 Planchonella aff. Garberi Christoph. 41717 Far daya (?) nov. spec., cf. emicorum (Seem.) Seemann. -1793 Palacuium Farrak Kanchira. 1081 Palacuium fidjiense Pierre. -V184: Faradaya of. ovalifolia (A.Gray) Seemann. -- Z980 Burckella Amicorum (Gray) H. J. Lam.

1786 Thoracostachyum vitiense Uittien (type coll.), not T. aff. hypolytroides

Proposed Corrected identifications of recently distributed Tropical

American Exsiccatae.

Determinations by N. Y. Sandwith

A. Coll. A. C. Smith, 1937-8.

0				Lapina
	1782,	distr.	as	Porocystis toulicioides Radlk. is Connarus punctatus Planch.
0	2570) 3024)	49	\$9	licania incana Aubl. are L. leptostachya Bth.
0	2598,	98	99	Matayba inelegans Radlk. is Matayba macrostylis Radlk.
0	2602,	Ψž	¥Ŷ	" is apparently a flowering collection of Trichilia compacta A.C. Sm.
0	2611,	₽ŧ	ti	Licania Hostmanni Fritsch is not th t, but very near L. Sprucci (Hk.f.) Fritsch and L. Hookeri Fritsch, which may be conspecific.
O	2768,	**	65	licania sp. is Caraipa sp.
0	3107,	77	EA	Licania emarginata Spruce is L. (Moquilea) utilis (Hk.f.)Fritsc
0	3111,	99	8.5	Apeiba Tibourbou Aubl. is A. Schomburgkii Szysz.
0	3242,	Ŷſ	н	Pseudima frutescens (Aubl.) Radlk. is Toulicia pulvinata Radlk.
Ø	3 563 ,	\$7	11	Licania micrantha Miq. is nothing like that, but may be referred provisionally to L. Kanukuensis Standl.

Arnold / Sudetour opie. (work A1)

Supplementary determinations of British Guiana collection of A. C. Smith

originally distributed as

72144. 72159. 72271.	Setaginella epirrhozos Spring. (det. Alston) Protium heptaphyllum (Aubl.) March. (det. J. Swart) Cassia quinquangulata Rich. (det. Amshoff) Protium neglectum Swart (det. Swart) Cassia mimosoides L. sens. lat. (det. Amshoff)	Selaginella Protium Cassia Protium Cassia
		Protium
LAUCE.	(det. Swart)	TIOCIAM
28705.	Trattinickia burseraefolia Mart. (det. Swart)	Trattinickia
	Protium giganteum Engl. (det. Swart)	Protium
		Protium
	Strychnos Melinoniana Baill. (det. Sandwith)	Strychnos
7000	(400)	cogens
3059.	Polygala adenophora DC. (det. Sandwith)	Burmannia capitata

Arnold Voled I sur opec (words AH)

Supplementary determinations of British Guiana collection of A. C. Smith

originally distributed as:

3108. Protium neglectum Swart (det. Swart)
3223. """"
3429. Tetragastris altissima (Aubl.) Swart (det. Swart)
3460. Melothria trilobata Cogn. (det. Sandwith)
3512. Loxopterygium Sagotii Hook.f. (det. Swart)
3531. Protium neglectum Swart
3609. Thyrsodium Schomburgkianum Benth. (det. Smith)
Protium

Determinations of South American Plants.

Melastomes by H.A.Gleason Xyris by Malme Misc. by A.C. Smith

Rusby & Pennell. 196. Zanthoxylum rigidum R.& P. 312. Orcytanthus botryostachys Eichl. 511. Siparuna sessiliflora (HBK.) DC. 656. Clematis sericea HBK. 759. Berberis Guilache Tr.& Planch. 830. Phthirusa pyrifolia (HBK.) Hichl. 1562. Cissampelos Pareira L. 1645. Triplaris felipensis Wedd. 1956. Cleome anomala HBK. 2114. Xyris acutifolia (Heim.) Malme 2179.Berberis rigidifolia HBK. 2253. Berberis Goudotii Tr.& Planch., not B.glauca. 2298. Ranunculus pilosus HBK. 2343. Erodium moschatum (Burm.f.) L'Her. 2382. Berberis rigidifolia HBK. 3150 Thalictrum podocarpum HBK. 3945. Ficus princides H.& B. 422: Cissampelos Pareira L. 4314. Drimys Winteri Forst. 4322. Berberis Guilache Tr.& Planch. Pennell & Killip. vo 5123. Monolaena primulaeflora Hook. 7845. Cissampelos Pareira L. √8029.Siparuna Killipii Perkins The color -- 8246. Xyris macrocephala Vahl. (~ ✓ 8669. Clematis floribunda Tr.& Planch. √6951. Phthirusa pyrifolia (HBK.) Eichl. . 18990 Gynandropsis brachycarpa DC. √9046.Raimondia monoica Safford √9128.Siparuna Killippi Perkins √09387.Cissampelos grandifolia Tr.& Planch. vo 9504. Geranium Lindentanum Turcz. √9626. Cissampelos grandifolia Tr.& Planch. 10767. Myrica pubescens Willd. -11138. Siparuna Pennellii Perkins 9/1797. Monolaena quata Cogn. 9- 12127. Lacistema aggregatum (Berg.) Rusby Pennell o12875. Phrygilanthus tetrandrus (R.& P.) Eichl. Killip & Smith. -14236. Phthirusa pyrifolia (HBK.) Eichl.

-14375. Annona reticulata L. √14420. Phthirusa pyrifolia (HBK.) Eichl. √14444. Capparis odoratissima Jacq. -14472. Annona muricata L. -M4483. M4587. Coccoloba ramosissima Lindau -44608. Ficus princides H.& B. ₩4894.Ficus Intimanensis Pittier -14940. Orcytanthus botrystachys Eichl. 15139.Xyris asperula Pohl. a 45190. ...15280.

Chili

Killip & Smith. √15372.Siparuna sessiliflora(HBK.)DC. 15131. Guatteria pilosula Planch. & Lind. 15599. Ranunculus flagelliformis Sm. 15661.Geranium multiceps Turcz. ₩5705. √15842. Hedyosmum Bonplandianum HBK. √15879. Centronia brachycera Triana _√15927. Ranunculus pilosus HBK. A6017. Thalictrum podocarpum HBK. 46237. Cissampelos Pareira L. √6288. Orey tanthus botryostachys Eichl. ₩6350. Triplaris felipensis Wedd. A6380. Echeveria subspicata (Baker) Morren √6686. Miconia lonchophylla Naud. 16807. Orcy tanthus ruficaulis Eichl. ₩6839.Cissampelos Pareira L. 76884. Miconia lonchophylla Naud. 17154. Erodium moschatum (Burm.f.) L'Her. √17180. Pachyanthus corymbiferus (Naud.) Cogn. √17331. Echeveria subspicata (Baker) Morren √7397. Berberis Goudotii Tr.& Planch. -17406.Geranium multiceps Turcz. √7578. Berberis Goudotii Tr.& Planch. _17597.Geranium multiceps Turcz. 17724. Berberis rigidifolia HBK. **17784.** -17946.Geranium multiceps Turcz. → 18083. Hedyosmum Bonplandianum HBK. 48139.Geranium hirtum Willd. √8162. Berberis Goudotii Tr.& Planch. -18388. Erodium moschatum (Burm.f.) L'Her. 18538.Geranium multiceps Turcz. ✓18555. Berberis Goudotii Tr.& Planch. A9056. Triplaris felipensis Wedd. №9101.Siparuna echinata(HBK.)A.DC. →19114. Cissampelos Pareira L. √19248. V19348. →49554.Geranium multiceps Turcz. ₹19556.Ranunculus peruvianus Pers. √19672. Erodium moschatum (Burm.f.) L'Her. .419752. Miconia amblyandra Naud. 49923. Hedyosmum Bonplandianum HBK. √20197.Blakea Andreana Cogn. +20360.Cleome coccinea Benth. √20553.Cissampelos Pareira L. 0 20620. Xyris acutifolia (Heim.) Malme 721092. Orcytanthus botryostachys Eichl.

g autous

Pennell.

1386.Xyris subulata R.& P.

14086.Phrygilanthus punctatus(R.& P.)Eichl.

Hitchcock.

16784.Ficus angustifolia Miq.

21216.Acrodiclidium acuminatum Rose

-21238.Triplaris guayaquilensis Wedd. ex char.

-21297.Triplaris

21784.Monolaena primulaefara Hook.

Rose.

°19149. Erodium noschatum (Burm.f.) L'Her.

21010. Phrygilanthus cuneifolius (DC.) Eichl.

021057.

622716.Berberis conferta HBK.

022813. Ranunculus flagelliformis Sn.

~22971. Phrygilanthus coryabosus (Dietr.) Eichl.

023156. Phrygilanthus punctatus (R.& P.) Eichl.

/23167. Ranunculus praemorsus HBK.

Pittier.

5871. Ficus velutina Willd.

6119. Cissampelos Pareira L.

6185. Ximenia americana L.

6190. Coccoloba padiformis Meissn.

6231. Myrica caracasana HBK.

6269. Berberis discolor Turcz.

2~ 10519. Coccoloba ramossisima Lindau

11182. Gyrocarpus americanus Jaco. 11712. Nectandra Pichurim (HBK.) Nees

11913. Heterotrichum Schlimii (Naud.) Triana

12003. Tibouchina barbigera Baill.

12024. Coccoloba caracasana Meissn.

12186. Ficus gigantea HBK.

12325. Phthirusa pyrifolia (HBK.) Eichl.

12421. Ficus gigantea HBK.

12738. Ficus velutina Willd.

12783. Phthirusa Theobromae (Willd.) Eichl.

12865. Miconia rostrata (Naud.) Cogn.

12886. Alnus ferruginea HBK.

12971. Miconia rostrata (Naud.) Cogn.

13020. Miconia ibaguensis (Bonpl.) Triana

13055. Clematis populifolia Turcz.ex char.

13058. Ficus antimanensis Pittier

13073. Ficus princides H.& B.

13134. Miconia Fendleriana Cogn.

13228. Cleome Moritziana Kl.

13297. Ficus princides H.& B.

U. Y. Bot. Sand. Mor., 1930 Determinations of Thibaudieae at U.S.N.H.not included in loan.

A.C.Smith. 1930.

Colombia, Pennell & Killip.

A19091.

```
5223. Anthapterus Wardii Ball
 ~5329. Demosthenesia calcarata A.C. Smith (type, also type of genus).
 -5751. Psammisia macrophylla (HBK.) Kl.
 √5796. Cavendishia adenophora Mansf.
 - 6369. Psammisia macrophylla (HBK.) Kl.
 -6397. Cavendishia melastomoides (HBK.) Benth. & Hook.f.
1.√6524. Thibaudia floribunda HBK.
  0.7304. Thibaudia floribunda HBK.
 2√7566. Macleania pubiflora Benth.
 ∘√7909. Cavendishia complectens Hemsl. (apparently fisst coll.in Col.)
 o /8130. Psammisia macrophylla(HBK.) Kl.
 -√8267.
 √8275.
 8305.

√8862.Cavendishia cordifolia(HBK.)Hook.f.

 -√9462. Thibaudia floribunda HBK.
 10076. Ceratostema parvifolium Benth.
 √10115. Cavendishia cordifolia(HBK.) Hook.f.
 o/10308.Psammisia macrophylla(HBK.)Kl.
 0/10315.
10401. Cavendishia adenophora Mansf.
 040460. Thibaudia floribunda HBK.
 0/10539.Cavendishia cordifolia(HBK.)Hook.f.
 040722. Cavendishia pubescens (HBK.) Hemsl.
 -10744.
             8 8
  10933.
              11
                     adenophora Mansf.
 e/11376.
                    cordifolia(HBK.)Hook.f.
 M2144.
  Colombia, Killip & Smith.
 15108. Psammisia penduliflora (Dun.) Kl.
 √15465. Cavendishia pubescens (HBK.) Hembl.
                     cordifolia(HBK.) Hook.f.
 _15803.
 _45820. Thibaudia floribunda HBK.
 015918. Cavendishia pubescens (HBK.) Hemsl.
 16100. Cavendishia cordifolia (HBK.) Hook.f.
  .46777. Psammisia penduliflora (Dun.) Kl.
  47174. Psammisia macrophylla(HBK.)Kl.

→7857. Cavendishia cordifolia(HBK.) Hook.f.

  47873. Psammisia penduliflora (Dun.) Kl.
  J18013.
  M8087. Thibaudia floribunda HBK.
  48370. Psammisia macrophylla(HBK.) Kl.
  √18784. Cavendishia cordifalia(HBK.) Hook.f.
  18791. Thibaudia floribunda HBK.
  w18794. Psammidia macrophylla (HBK.) Kl.
 48868. Psammisia penduliflora (Dun.) Kl.
 -18872.
 -18875. Cavendishia cordifolia (HBK.) Hook.f.
                      pubescens(HBK.) Hemsl.
 ~18883.
                      cordifolia(HBK.)Hook.f.
               11
 -18888.
                      pubescens (HBK.) Hemsl.
               11
  419039.C
```

```
19099. Psammisia penduliflora (Dun.) Kl.
719308. Cwendishia pubescens (HBK.) Hemsl.
√19312.
                    cordifolia(HBK.)Hook.f.
            11
                    pubescens(HBK.)Hemsl.
<del>√19435</del>.
            11
√19460.
            11
                    cordifolia(HBK.)Hook.f.
¥19781.
20051. Psammisia penduliflora (Dun.) Kl.
√20055. Cavendishia pubescens(HBK.) Hemsl.
-/20108. Psammisia penduliflora (Dun.) Kl.
₹20481.
20587.
~20731. Cavendishia cordifolia(HBK.) Hook.f.
```

Gehriger 275. Cavendishia cordifolia(HBK.) Hook.f.

Archer 176,316. Cavendishia pubescens (HBK.) Hemsl.

Hitchcock V21166. Psammisia ecuadorensis Hoer. V21438. Englerodoxa loranthiflora (Benth.) A. C. Smith

Peru, Killip & Smith.

```
22199. Cavendishia viridiflora (Ktze.) A.C. Smith
22297.
                  cordifolia(HBK.)Hook.f.
22387.
                   viridiflora(Ktze.)A.C.Smith
22432.
           11
                   cordifolia(HBK.)Hook.f.
22489.
23141.
           11
23209.
24138. Psammisia Weberbaueri Hoer.
24244. Thibaudia ovata (Hook.f.) Hoer.
24256. Cavendishia Kraenzliniana Hoer. (from type locality).
                   cordifolia(HBK.)Hook.f.
24269.
24353. Thibaudia ovata (Hook.f.) Horr.
24473. Cavendishia Kraenzliniana Hoer.
                   pubescens (HBK.) Hemsl. form.
24489.
24882.
25686. Thibaudia biflora (Poepp. & Endl.) Hoer.
25850. Semiramisia Weberbaueri Hoer.
25938. Cavendishia pubescens (HBK.) Hemsl. form.
```

hop and there